

# Smart-UPS Lithium-ion short-depth UPS 120V

APC certainty with Total Cost of Ownership in mind







## The world's most popular network and server UPS now with Lithium-ion batteries

APC™ award-winning Smart-UPS™ is the most popular UPS in the world for servers, storage and network power protection. Smart-UPS provides availability and manageability to your network allowing you to focus on business growth instead of business downtime. Trusted to protect critical data and equipment from power problems by supplying clean and reliable network-grade power.

Smart-UPS's patented green mode provides high efficiency at low, medium and high load levels. This makes them ideal for multi-core or virtualized servers that have varying load consumption all while saving utility costs. Managed outlet groups allow segmented load control to power on or off your equipment in series, as well as load shedding to preserve battery power for critical connected equipment or reboot a hung device without impacting other equipment. Lithium-ion batteries provides 2X in battery life, better performance at higher temperatures and Total Cost of Ownership savings compared to valve-regulated lead-acid (VRLA) batteries.



## Save up to 50% on Total Cost of Ownership when using Smart-UPS Lithium-ion UPS solutions

APC Smart-UPS with Lithium-ion technology enables IT professionals to lower Total Cost of Ownership (TCO) by minimizing UPS maintenance and offering remote UPS management across distributed environments.

Why should you consider Smart-UPS Lithium-ion?



2X Longer life expectancy than VRLA batteries



Eliminate the cost of battery replacement, labor, shipping and recycling



Save on TCO by up to 50%



Better battery performance at ambient temperatures, up to 104°F/40°C



One-third lighter batteries for easier handling and installation



Remote UPS management options



Five-year factory warranty on the UPS and battery



Battery management system and certifications provide higher level of performance



Greater efficiency in charge and discharge of the batteries

## Smart-UPS Lithium-ion features

Intelligent and efficient network power protection. Ideal for servers, point-of-sale, routers, switches, hubs and other network devices.



#### High-efficiency green mode

Achieves up to 97% efficiency which minimizes utility and cooling costs without compromising UPS performance or reliability.

#### Network-grade power

Provides stable power conditions by filtering noise, automatic voltage regulation (AVR) and surge protection.

#### LCD display

Intuitive interface provides detailed information with ability to configure locally.

#### Built-in energy meter

Measures energy use and displays UPS efficiency in operating modes for easy tracking.

#### Intelligent battery management system

Monitoring at the cell level to manage voltage helps Lithium-ion batteries provide a higher level of performance.

#### Operate without battery

Immediately protect equipment when power returns after a complete discharge of the battery.

#### Five-year warranty

Peace of mind with a five-year warranty on both electronics and internal batteries.

## **Smart-UPS** features

#### SMTL1000RM2UC



#### SMTL750RM2UC



#### SMTL1500RM3UC



#### Switched outlet group

Control a group of output load receptacles independent from the main UPS:

- · Cycling the entire UPS
- · Sequenced turn ON/OFF
- Shedding of noncritical loads based on parameters (battery time, runtime remaining and overload)
- Scheduled time OFF to conserve energy
- Rebooting hung device without cycling the entire UPS

#### Lithium-ion batteries

Operates at higher temperatures without degradation of the performance of the battery. Up to one-third lighter and longer life than VRLA batteries.

#### Flash upgradeable firmware

Allows for field updates of firmware via communication ports or Network Management Card (NMC).

#### Communication ports

Options of Serial, USB, Ethernet and SmartSlot™ for network accessory cards.

#### Communication protocols

Choose from Modbus serial, USB PowerSummary, HTTP, SNMP and Telnet.

#### Input circuit breaker

Re-settable protection.



## APC Smart-UPS display

Intuitive, easy-to-use LCD interface



#### LCD display screen

Clear, consistent and detailed information in your choice of basic or advanced menus.

#### Power status

- Operating mode and efficiency mode
- Load VA/watts/amps
- Input/output voltage and frequency
- Battery capacity and runtime
- Energy meter

#### Configuration

- Language
- Power quality settings
- · Alarm, delay and threshold settings

#### Test and diagnostics

Initiate battery and runtime calibration tests.

#### Control

UPS and outlet group settings.

#### Logs

See explanation of last 10 transfers and faults.

#### LED indicators

Quickly identify online, on battery, fault and replace battery status.

#### Intuitive interface

Easy-to-use buttons to navigate and adjust settings.

#### Load energy meter

Track energy usage in kilowatt hours.

## Smart-UPS SC Lithium-ion features

Power protection for entry-level servers, voice and data networks

#### SCL500RM1UC



#### \*SCL500RM1UC



#### \*\*SCL500RM1UNC



#### Rack/floor convertible

Provides flexibility to change from a rack-to-floor installation.

#### Communication ports

Easy connection and initialization by Serial ports.

Use USB with Serial to USB adaptor.

\*APC SmartConnect port for easyto-use remote monitoring feature that provides automatic notifications, firmware updates and advanced support services. Ideal for small business monitoring.

#### Site wiring fault

Faulty wiring detection.

#### Rugged sheet metal

Construction rigidly holds and protects critical electrical components.

#### Automatic Voltage Regulation AVR

Heavy-duty transformer(s) provides extended ranges AVR boost and trim capabilities without battery operation.

#### Audible alarms

Provides notification of changing utility power and UPS power conditions.

#### Input circuit breaker

Re-settable protection.

### Two-stage network grade power conditioning

Circuitry filters power aberrations.

## \*\*Embedded network management card

Allows users to remote monitor and control the UPS via secure network browsers or external command line interfaces. Ideal for fleet management.

#### Lithium-ion batteries

Provides long-life battery power, ability to operate at higher temperatures without degradation of battery performance. Up to one-third lighter than VRLA batteries.

<sup>\*</sup>APC SmartConnect feature available on the "C" suffix model

<sup>\*\*</sup>Embedded Network Management Card option available on the "NC" suffix model

## Smart-UPS management solutions



PowerChute Business Edition

#### For graceful UPS shutdown

#### Built-in manageability for your UPS unit

PowerChute™ Business Edition software provides UPS management, safe system shutdown and innovative energy reporting capabilities. Energy usage, cost and CO₂ reporting provides a greater understanding of the energy consumed by IT equipment, enabling improved energy efficiency. Advanced analysis features help to identify the causes of potential power-related problems before they occur, ensuring the health of your protected equipment.

#### PowerChute Business Edition features:

- · Graceful system shutdown
- · Fault notifications
- Risk-assessment reporting
- · Scheduled shutdowns
- Energy-usage reporting
- · Centralized monitoring
- · Recommended actions
- Battery status
- Outlet-aware shutdown
- Event and data logging
- Power-event summary
- Voltage analysis



#### UPS network management cards

#### For remote management and control

#### Connect to your network and enjoy direct control

APC UPS network management cards allow for secure connection and control of an individual APC UPS unit via web browser, command-line interface or SNMP. The configurable notification features keep you informed of problems as they occur. For protected servers, the included PowerChute network shutdown software provides graceful, unattended shutdown in the event of an extended power outage, keeping business information safe.

#### Network management card features:

- View the user interface with a browser for quick access from anywhere on a secure network.
- Enable remote device management of your UPS by connecting it directly to the network.
- Get real-time fault event notifications to quickly respond to critical situations, reducing repair time and maximizing uptime.
- Eliminate the need to dispatch technicians to remote locations by rebooting equipment remotely.

## Smart-UPS cloud-enabled management options



#### APC SmartConnect

### Monitor your UPS online — any time, anywhere — with the APC SmartConnect web portal

#### The first cloud-enabled UPS for distributed IT

Automatically included in the select connectivity feature that makes the legendary devices even more adaptable and even easier to deploy. APC SmartConnect allows you to view the status of your UPS through a secure web portal. Through this innovative remote-monitoring interface, you will receive automatic notifications, firmware updates and advanced support.

Learn more at: apc.com/smartconnect

#### APC SmartConnect features:

- No special software or gateway required
- · Accessible from any internet connected device
- Compatible with major Remote Monitoring and Management RMM platforms
- Actionable alerts and lifecycle recommendations
- · Enhanced troubleshooting and support
- · Simple account login and registration



EcoStruxure IT

## Connecting hybrid IT environments for advanced insights

### Cloud-based vendor-neutral monitoring with EcoStruxure™ IT

EcoStruxure IT monitors and protects your critical equipment, providing 24/7 visibility through live data, smart alarming and data-driven insights on the health of your connected assets directly to your smartphone.

When you upgrade to EcoStruxure<sup>™</sup> Asset Advisor, remote troubleshooting is provided by the experts monitoring your connected assets 24x7.

Learn more at: schneider-electric.com/ecostruxure

#### Remote service

Increase your data center's uptime with intelligent 24x7 monitoring and remote troubleshooting service.

#### Analytics

Gain insight into how well your data center runs — receive recommendations and data-driven intelligence.

#### Mobile insights

Stay connected to your data center with live data and alarms on your smartphone app.

## Smart-UPS accessories



#### Management card options

- AP9630: UPS network management card
- AP9631: UPS network management card with environmental monitoring
- AP9635: UPS network management card with environmental monitoring, out-of-band access and Modbus
- AP9620: Legacy communications SmartSlot™ card



#### Rail Kit options

AP9625: APC Smart-UPS two-post rail kit



#### Service bypass panels

SBP1500RM: APC service bypass PDU, 120V; 15 amp with (8) NEMA 5-15R



AP9562

#### Power distribution units

- AP9562: APC Rack PDU, Basic, 1U, 15A, 120V, (10) NEMA 5-15R
- AP9567: APC Rack PDU, Basic, Zero U, 15A, 120V, (14) NEMA 5-15R

## Product family



#### SKU technical specifications

	SCL500RM1UC *SCL500RM1UCNC	SMTL750RM2UC	SMTL1000RM2UC	SMTL1500RM3UC
Topology	Line Interactive			
Output				
Output power capacity	400 Watts / 500 VA	600 Watts / 750 VA	800 Watts / 1000 VA	1350 Watts / 1500 VA
Nominal output voltage		120\	/	
Output voltage distortion	Less than 5% at full load			
Output frequency (sync to mains)	50/60 Hz +/- 3 Hz (auto sensing)			
Waveform type	Sine Wave	Pure Sine Wave		
Output connections	(4) NEMA 5-15R	(6) NEMA 5-15R		
Switched outlet group	Yes/One			
Efficiency at full load	>96%			
Input				
Nominal input voltage	120V			
Input frequency	50/60 Hz +/- 3 Hz (auto sensing)			
Input connections		NEMA 5-15P		
Input voltage range for main operations	92 – 139Vac	82 – 144Vac		
Batteries and runtime				
Battery type	Lithium-ion (LiFePo4)			
Runtime		Please refer to www.apc.com for runtime charts		
Communications and management				
Interface port(s)	USB Type A, APC SmartConnect (RJ45) – only on the "C" suffix model	Serial (RJ45), SmartSlot, USB, APC SmartConnect (RJ45)		
Available SmartSlot™ interface quantity	0, *embedded Network Management Card in "NC" suffix model	1		
Control panel	LED display	Multi-function LCD status and control console		
Audible alarms	Yes			
Physical				
Net HxWxD	1.75" x 17" x 9.14"	3.39" x 17.25" x 12.5"	3.39" x 17.25" x 12.5"	5.14" x 17.25" x 12"
Rack height	1U	2U	2U	3U
Net weight	9.2 lbs	34 lbs	36 lbs	43 lbs
Shipping weight	14.2 lbs	39 lbs	41lbs	50 lbs
Shipping HxWxD	6.6" X 23.2" X 13.3" for both	9" x 23" x 18.6"	9" x 23" x 18.6"	11" x 17.64" x 23"
Color	Black [Silver front bezel]			
Environmental				
Operating environment	32 – 104 °F (0 – 40 °C)			
Operating relative humidity	0 – 95%			
Operating elevation	0-10000 feet (0-3000 meters)			
Storage temperature	-15 to 45 °C (-30 to 70°C without batteries)			
Storage relative humidity	0 – 95%			
Storage elevation	0-50000 feet (0-15000 meters)			
Audible noise at 1 meter from surface of unit	45.0dBA			
Conformance		.5104		
Regulatory approvals		UL 1778, UL 197	3. CSA. NOM	
	5-Year UPS and batteries			



apc.com/lithium-ion

132 Fairgrounds Rd West Kingston, RI 02892 Phone: + 01 (401) 789-5735 www.apc.com