


ThinkAgile HX Series

Any workload, any scale, all the time



Increase Your Freedom

Operating a data center increasingly involves complex tasks, such as managing multiple silos of servers, storage, networks, and mission-critical applications. Consequently, IT departments often spend most of their budget maintaining this infrastructure, instead of investing in new projects.

Lenovo ThinkAgile HX Series, a best-in-class hyperconverged system with Nutanix's industry-leading software preloaded on Lenovo platforms, dramatically simplifies data center management, frees up your IT staff, and accelerates your deployment, ultimately reducing your total ownership cost.

For 7 years running, Lenovo servers have ranked as the industry's most reliable x86 platforms, enabling you to run your workloads predictably, with maximum uptime. Enhanced with faster processors and memory, Lenovo platforms hold nearly 200 current performance world records, so you can run your workloads with blazing-fast speed.* Lenovo XClarity, a fast and intuitive resource management tool, captures Lenovo proactive platforms, enabling administrators to replace a failing component while avoiding unplanned downtime.

Lenovo has engineered, tailored, and validated ThinkAgile HX designs for a wide range of business solutions, so that you have the freedom to run any workload, at any scale, all the time.

Simplify Your IT

Since 2014, Lenovo and Nutanix have collaborated to help businesses simplify IT and shrink OPEX. ThinkAgile HX Series consolidates compute, storage, and virtualization software into a resource pool, easily managed in scale-out clusters through a single interface. The series ships from Lenovo as fully integrated and validated building blocks, and delivers extreme reliability, security, scalability, and simplified management. As a result, you can deploy applications faster, without the hassle, while dramatically reducing your total cost of ownership by up to 2.8x.**

Use Nutanix Prism for one-click planning, provisioning, insights, and firmware updates to achieve faster, simpler IT operations. A Lenovo-Nutanix innovation, the ThinkAgile XClarity Integrator for Nutanix, available from the Nutanix Calm marketplace, can be used in concert with Prism for comprehensive management and reduced manual entry. Leverage the time and cost-savings of ThinkAgile HX to enable your IT to focus on innovative solutions for your business.

Lenovo

WWW.LENOVO.COM

NUTANIX™



Enjoy a Transformative Experience

Lenovo ThinkAgile Advantage provides end-to-end life cycle management for a seamless, simple customer experience for planning, deployment, and maintenance, including a 24/7 Single Point of Support. ThinkAgile HX Series also includes the option of shipping from Lenovo's factory in a rack, along with any combination of ThinkSystem servers, storage, and networking, which facilitates quick deployment of solutions based on validated HX reference architectures.

Now enhanced with even faster processors and memory, Lenovo platforms hold the highest number of performance world records so you can run your workloads at blazing-fast speed for accelerated outcomes. ThinkAgile HX Series models are optimized for a broad set of virtualized workloads for on premises or in the cloud, including ROBO, office applications, analytics, and in-memory databases. Deploy your HCI clusters rapidly and confidently with Lenovo.

ThinkAgile HX 1000 Series Appliance - Intel

The 1U 1-node ThinkAgile HX 1000 Series appliance is engineered for light-to-medium workloads (business applications and VDI), optimized for remote office/branch office (ROBO) environments.

Specifications

	Remote Office/Branch Office (ROBO)
Model Name	HX1320 appliance, 1U form factor
Processor	1x Intel® Xeon® Silver, Gold, or Platinum processor, up to 205W
Memory (TruDDR4 2933MHz)	64GB, 96GB, 128GB, 192GB, 256GB, 384GB
Drive Bays	4x 3.5"
SSD Options (Hybrid Config)	2x 480GB, 800GB, 960GB, 1.92TB, 3.84TB
HDD Options (Hybrid Config)	2x 4TB, 6TB, 8TB, 10TB, 12TB
SSD Options (All-Flash Config)	2x or 4x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB
10GBASE-T/10GbE SFP+ Ports	2-6
25GbE SFP28 Ports	0-4
Hypervisors Supported	Nutanix Acropolis Hypervisor (preloaded), VMware ESXi (optional preload), Microsoft Hyper-V 2016
Systems Management	Hardware management via Lenovo XClarity and software management via Nutanix Prism
License Options	Nutanix Starter, Pro and Ultimate Licenses
Deployment Services	Lenovo Professional Deployment services available
Warranty Support	Lenovo 3-year, 4-year, or 5-year limited hardware warranty, ThinkAgile Advantage Single Point of Support where available



ThinkAgile HX 2000 Series Appliance - Intel

ThinkAgile HX 2000 Series appliances are available in 1U 1-node form factors, optimized for small and medium businesses (SMBs).

Specifications

	Small and Medium Businesses
Model Name	HX2320 appliance, 1U form factor
Processor	2x Intel® Xeon® Silver, Gold, or Platinum processor, up to 205W
Memory (TruDDR4 2933MHz)	96GB, 192GB, 256GB, 384GB, 512GB, 576GB, 768GB, 1024GB, 1.5TB
Drive Bays	4x 3.5"
SSD Options (Hybrid Config)	2x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB
HDD Options (Hybrid Config)	0-2x 1TB, 2TB, 4TB, 6TB, 8TB, 10TB, 12TB
SSD Options (All-Flash Config)	2x or 4x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB
10GBASE-T/10GbE SFP+ Ports	2-8
25GbE SFP28 Ports	0-6
Hypervisors Supported	Nutanix Acropolis Hypervisor (preloaded), VMware ESXi (optional preload), Microsoft Hyper-V 2016
Systems Management	Software management via Nutanix Prism, hardware management via Lenovo XClarity
License Options	Nutanix Starter, Pro, or Ultimate
Deployment Services	Lenovo Professional Deployment services available
Warranty Support	Lenovo 3-year, 4-year, or 5-year limited hardware warranty; ThinkAgile Advantage Single Point of Support where available



ThinkAgile HX 3000 Series Appliance - AMD

The ThinkAgile HX 3000 Series appliance, featuring the latest AMD EPYC processors, is available in a rack-dense 1U 1-node form-factor. It is packed with high memory and core density, making it perfect for virtual desktop infrastructure (VDI) and general virtualization workloads (business applications).

Specifications

	General Virtualization and Virtual Desktop Infrastructure (VDI)
Model Number	HX3375 appliance, 1U form factor
Processors	1x or 2x AMD EPYC™ 7002 Generation Processors, up to 64 cores, 280W
Memory	32 DDR4 memory slots; Maximum 2TB using 64GB or 128GB RDIMMs; up to 1DPC at 3200MHz, 2DPC at 3200MHz
Drive Bays	<ul style="list-style-type: none"> Up to 12x 2.5-inch drives Up to 4x NVMe drives (requires 2 CPUs)
SSD Options (Hybrid Config)	2x-4x 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB
HDD Options (Hybrid Config)	4x-10x 1TB, 2TB, 2.4TB
SSD Options (All-Flash Config)	6x-12x 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB, 15.36TB
NVMe Options (All-Flash Config)	0, 2, or 4x 1.6TB, 3.2TB, 3.84TB, 6.4TB
GPU Options	0-2x NVIDIA T4
10/25GbE SFP28 Ports	0-6
Hypervisors Supported	Nutanix Acropolis Hypervisor (preloaded), VMware ESXi (optional preload)
Systems Management	Hardware management via Lenovo XClarity or ThinkAgile Integrator for Nutanix, and software management via Nutanix Prism
Warranty Support	Lenovo 3-year, 4-year, or 5-year limited hardware warranty



ThinkAgile HX 3000 Series Appliance - Intel

ThinkAgile HX 3000 Series appliances featuring the latest Intel Xeon Scalable processors are available in 1U 1-node, 2U 1-node, and 2U 4-node form factors. These appliances are engineered for compute-heavy workloads (business applications and VDI) and offer rack-dense and GPU (-G) models.

Specifications

	General virtualization and VDI		
Model Name	HX3320 (+ SAP HANA)	HX3520-G	HX3720
Form Factor	1U	2U	2U 4-node
Processor	2x Intel® Xeon® Silver, Gold, or Platinum processor, up to 205W	2x Intel Xeon Silver, Gold, or Platinum processor, up to 165W	2x Intel Xeon Silver, Gold, or Platinum processor, up to 140W
Memory (TruDDR4 2933MHz)	128GB, 192GB, 256GB, 384GB, 512GB, 576GB, 768GB, 1.5TB, 3TB	128GB, 192GB, 256GB, 384GB, 512GB, 576GB, 768GB, 1.5TB, 3TB	192GB, 384GB, 512GB, 768GB
Drive Bays	10x-12x 2.5"	8x-16x 2.5"	6x 2.5"
SSD Options (Hybrid Configs)	2x-4x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB	2x-4x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB	2x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB
HDD Options (Hybrid Configs)	4-10x 1TB, 2TB, 2.4TB	6-14x 1TB, 2TB, 2.4TB	4x 1TB, 2TB, 2.4TB
SSD Options (All-Flash Configs)	6x-12x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB, 15.36TB	8x-16x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB, 15.36TB	4x-6x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB, 15.36TB
NVMe Options (All-Flash Configs)	0, 2, or 4x 1.6TB, 3.2TB and 3.84TB	None	None
GPU Options	None	0-2x NVIDIA P40, V100, M60, M10; 0-5x NVIDIA T4	None
10GBASE-T/10GbE SFP+ Ports	2-10	2-10	2-4
25GbE SFP28 Ports	0-6	0-6	0-2
Hypervisors Supported	Nutanix Acropolis Hypervisor (preloaded), VMware ESXi (optional preload), Microsoft Hyper-V 2016		
Systems Management	Hardware management via Lenovo XClarity or ThinkAgile Integrator for Nutanix, and software management via Nutanix Prism		
License Options	Nutanix Starter, Pro and Ultimate Licenses		
Deployment Services	Lenovo Professional Deployment services available		
Warranty Support	Lenovo 3-year, 4-year, or 5-year limited hardware warranty, ThinkAgile Advantage Single Point of Support where available		



ThinkAgile HX 5000 and HX 7000 Series Appliances - Intel

The 2U 1-node ThinkAgile HX 5000 Series appliances are engineered for storage-heavy workloads (Big Data and enterprise applications) and offer a high-capacity model. The 2U and 4U 1-node ThinkAgile HX 7000 Series appliances are engineered for high-performance and mission-critical workloads (enterprise applications and in-memory databases (such as SAP HANA) and optimized for I/O intensive operation.

Specifications

	Big Data and High Capacity	High Performance and Databases	Mission-Critical Workloads
Model Name	HX5520	HX7520 (+ SAP HANA)	HX7820 (+ SAP HANA)
Form Factor	2U	2U	4U
Processor	2x Intel® Xeon® Silver, Gold, or Platinum processor, up to 165W	2x Intel Xeon Silver, Gold, or Platinum processor, up to 205W	4x Intel Xeon Silver, Gold, or Platinum processor, up to 205W
Memory (TruDDR4 2400MHz)	128GB, 192GB, 256GB, 384GB, 512GB, 768GB, 1.5TB, 3TB	192GB, 384GB, 576GB, 768GB, 1.125TB, 1.5TB, 3TB	384GB, 576GB, 768GB, 1.125TB, 1.5TB, 2.25TB, 3TB, 4.5TB, 6TB
Drive Bays	12x or 14x 3.5"	24x 2.5"	Up to 24x 2.5"
SSD Options (Hybrid Config)	2x-6x 480GB, 800GB, 960GB, 1.92TB, 3.84TB	4x-8x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB	Up to 8x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB
	6x-12x 4TB, 6TB 6x-10x 8TB 8x 10TB, 12TB	12x-20x 1TB, 2TB, 2.4TB	Up to 20x 1TB, 2TB, or 2.4TB 2.5"
SSD Options (All-Flash Config)	6x-14x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB	12x-24x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB, 15.36TB	Up to 24x 480GB, 800GB, 960GB, 1.6TB, 1.92TB, 3.84TB, 7.68TB, 15.36TB
NVMe Options (All-Flash Config)	None	0, 2, or 4x 1.6TB, 3.2TB	
10GBASE-T/10GbE SFP+ Ports	2-10	2-10	2-10
25GbE SFP28 Ports	0-8	0-8	0-8
Hypervisors Supported	Nutanix Acropolis Hypervisor (preloaded), VMware ESXi (optional preload), Microsoft Hyper-V 2016		
Systems Management	Hardware management via Lenovo XClarity or ThinkAgile XClarity Integrator for Nutanix, and software management via Nutanix Prism		
License Options	Nutanix Starter, Pro and Ultimate Licenses		
Deployment Services	Lenovo Professional Deployment services available		
Warranty Support	Lenovo 3-year, 4-year, or 5-year limited hardware warranty, ThinkAgile Advantage Single Point of Support where available		



Bottom Line

Lenovo ThinkAgile HX Series appliances, powered by Intel® Xeon® processors, enable you to simplify your IT infrastructure and drive down costs through the combination of preloaded easy-to-use software on powerful, extremely reliable hardware. All ThinkAgile HX Series models are backed by world-class Lenovo services and support.

ThinkAgile Advantage: Personalized Support

ThinkAgile Advantage, in available countries, provides a first-class support experience to make the most of your ThinkAgile products and solutions. You'll skip the wait and connect directly with skilled technicians through your own dedicated phone line for real-time triaging and troubleshooting.

As a single point of contact, your dedicated Lenovo specialist will own your support case end-to-end, ensuring a faster and more seamless resolution. You'll also enjoy faster time to productivity and reduced system disruption, thanks to the plan's hardware and software deployment benefit from the Lenovo Professional Services team.

† [ITIC Global Reliability Study](#). * [Lenovo Continues to Lead the Industry in Customer Performance and Value](#) ** Visit [Enterprise Strategy Group](#) for more information.

© 2021 Lenovo. All rights reserved.

Availability: Offers, prices, specifications and availability may change without notice. Lenovo is not responsible for photographic or typographic errors. **Warranty:** For a copy of applicable warranties, write to: Lenovo Warranty Information, 1009 Think Place, Morrisville, NC, 27560. Lenovo makes no representation or warranty regarding third-party products or services. **Trademarks:** Lenovo, the Lenovo logo, ThinkAgile, ThinkSystem, TruDDR4, and XClarity® are trademarks or registered trademarks of Lenovo. Intel® and Xeon® are trademarks of Intel Corporation or its subsidiaries. Hyper-V® and Microsoft® are trademarks of Microsoft Corporation in the United States, other countries, or both. Other company, product, or service names may be trademarks or service marks of others. Document number DS0019, published September 3, 2020. For the latest version, go to lenovopress.com/ds0019.

For More Information

To learn more about Lenovo ThinkAgile HX Series Appliances, contact your Lenovo representative or Business Partner or visit lenovo.com/thinkagile.

About Lenovo

Lenovo (HKSE: 992) (ADR: LNVGY) is a US\$45 billion Fortune 500 company and a global technology leader in driving Intelligent Transformation. Lenovo's data center solutions (ThinkSystem, ThinkAgile) are creating the capacity and computing power that are changing business and society.

